

Tables and Formulas for Image Coding and Data Compression

January 22, 2023

Information Theoretic Concepts

Alphabets and Probabilities

X has alphabet $\{a_1, \dots, a_N\}$, Y has alphabet $\{b_1, \dots, b_M\}$

$$P_X(a_i) = Pr[X = a_i], \quad P_Y(b_j) = Pr[Y = b_j], \quad P_{XY}(a_i, b_j) = Pr[X = a_i, Y = b_j]$$

$$P_{X|Y}(a_i|b_j) = Pr[X = a_i|Y = b_j] = \frac{P_{XY}(a_i, b_j)}{P_Y(b_j)}$$

$$P_{Y|X}(b_j|a_i) = Pr[Y = b_j|X = a_i] = \frac{P_{XY}(a_i, b_j)}{P_X(a_i)}$$

Entropy

$$H(X) = - \sum_{i=1}^N P_X(a_i) \cdot \log P_X(a_i) \quad H(Y) = - \sum_{j=1}^M P_Y(b_j) \cdot \log P_Y(b_j)$$

$$H(X, Y) = - \sum_{i=1}^N \sum_{j=1}^M P_{XY}(a_i, b_j) \cdot \log P_{XY}(a_i, b_j)$$

$$H(X|Y) = - \sum_{i=1}^N \sum_{j=1}^M P_{XY}(a_i, b_j) \cdot \log P_{X|Y}(a_i|b_j)$$

$$H(Y|X) = - \sum_{i=1}^N \sum_{j=1}^M P_{XY}(a_i, b_j) \cdot \log P_{Y|X}(b_j|a_i)$$

The Chain Rule

$$H(X, Y) = H(X) + H(Y|X) = H(Y) + H(X|Y)$$

$$H(X_1 X_2 \dots X_n) = H(X_1) + H(X_2|X_1) + \dots + H(X_n|X_1 \dots X_{n-1})$$

Mutual Information

$$I(X; Y) = H(X) - H(X|Y) = H(Y) - H(Y|X)$$

Rate Distortion Bounds

Memoryless Time-discrete Gaussian Process

$$R(D) = \frac{1}{2} \log \frac{\sigma^2}{D}$$

Time-discrete Gaussian Process

$$\begin{cases} D = \int_0^1 \min[\Phi[\theta], \gamma] d\theta \\ R = \int_0^1 \max[0, \frac{1}{2} \log \frac{\Phi[\theta]}{\gamma}] d\theta \end{cases}$$

Time-continuous Gaussian Process

$$\begin{cases} D = \int_{-\infty}^{\infty} \min[\Phi(f), \gamma] df \\ R = \int_{-\infty}^{\infty} \max[0, \frac{1}{2} \log \frac{\Phi(f)}{\gamma}] df \end{cases}$$

Quantization

Lloyd-Max Quantization

Optimal choice of decision regions:

$$b_i = \frac{y_{i+1} + y_i}{2} ; \quad i = 1, \dots, M-1$$

Optimal choice of reconstruction levels:

$$y_i = \frac{\int_{b_{i-1}}^{b_i} x f(x) dx}{\int_{b_{i-1}}^{b_i} f(x) dx} ; \quad i = 1, \dots, M$$

Data rate:

$$R = \log_2 M \quad (\text{No entropy coding is done})$$

Lloyd-Max quantizers for some distributions

	Gaussian $f(x) = \frac{1}{\sqrt{2\pi}\sigma} e^{-\frac{(x-m_x)^2}{2\sigma^2}}$ Values for $m_x = 0, \sigma = 1$			Laplacian $f(x) = \frac{1}{\sqrt{2}\sigma} e^{-\frac{\sqrt{2} x-m_x }{\sigma}}$ Values for $m_x = 0, \sigma = 1$		
R	b_i	y_i	D	b_i	y_i	D
1	$-\infty$ 0.0000 ∞	-0.7979 0.7979	0.3634	$-\infty$ 0.0000 ∞	-0.7071 0.7071	0.5
2	$-\infty$ -0.9816 0.0000 0.9816 ∞	-1.5104 -0.4528 0.4528 1.5104	0.1175	$-\infty$ -1.1269 0.0000 1.1269 ∞	-1.8340 -0.4198 0.4198 1.8340	0.176
3	$-\infty$ -1.7479 -1.0500 -0.5005 0.0000 0.5005 1.0500 1.7479 ∞	-2.1519 -1.3439 -0.7560 -0.2451 0.2451 0.7560 1.3439 2.1519	0.03454	$-\infty$ -2.3796 -1.2527 -0.5332 0.0000 0.5332 1.2527 2.3796 ∞	-3.0867 -1.6725 -0.8330 -0.2334 0.2334 0.8330 1.6725 3.0867	0.0545
4	$-\infty$ -2.4008 -1.8435 -1.4371 -1.0993 -0.7995 -0.5224 -0.2582 0.0000 0.2582 0.5224 0.7995 1.0993 1.4371 1.8435 2.4008 ∞	-2.7326 -2.0690 -1.6180 -1.2562 -0.9423 -0.6568 -0.3880 -0.1284 0.1284 0.3880 0.6568 0.9423 1.2562 1.6180 2.0690 2.7326	0.009497	$-\infty$ -3.7240 -2.5971 -1.8776 -1.3444 -0.9198 -0.5667 -0.2664 0.0000 0.2664 0.5667 0.9198 1.3444 1.8776 2.5971 3.7240 ∞	-4.4311 -3.0169 -2.1773 -1.5778 -1.1110 -0.7287 -0.4048 -0.1240 0.1240 0.4048 0.7287 1.1110 1.5778 2.1773 3.0169 4.4311	0.0154

Multiply reconstruction levels y_i and decision borders b_i by the standard deviation σ and add the mean m_x to get the actual values. The distortion values D should be multiplied by the variance σ^2 .

Fine Quantization

$$\begin{cases} D \approx \frac{1}{12} \int_{-\infty}^{\infty} \Delta^2(x) f(x) dx \\ M \approx \int_{-\infty}^{\infty} \frac{1}{\Delta(x)} dx \end{cases}$$

Uniform quantization

$$\Delta(x) = \begin{cases} \Delta & a_{min} \leq x \leq a_{max} \\ \infty & \text{otherwise} \end{cases}$$

$$D \approx \frac{\Delta^2}{12}$$

Logarithmic quantization

$$\Delta(x) = \begin{cases} k|x| & a_{min} \leq |x| \leq a_{max} \\ \infty & \text{otherwise} \end{cases}$$

Source adapted quantization (fine Lloyd-Max quantization)

$$\Delta(x) = c \cdot (f(x))^{-\frac{1}{3}}$$

Fine Quantization of Gaussian Distributions

Source adapted quantization (fine Lloyd-Max quantization)

$$D \approx \frac{\pi\sqrt{3}}{2} \cdot \sigma^2 \cdot 2^{-2R}$$

Uniform quantization followed by entropy coding ($R = H(\hat{X})$)

$$D \approx \frac{\pi e}{6} \cdot \sigma^2 \cdot 2^{-2R}$$

Predictive Coding

Optimal (LMS) linear predictor

$$p_n = a_1 \hat{x}_{n-1} + \dots + a_N \hat{x}_{n-N} \approx a_1 x_{n-1} + \dots + a_N x_{n-N} = \mathbf{A} \cdot \mathbf{x}$$

$$\mathbf{A} = \mathbf{R}^{-1} \mathbf{P}$$

where

$$\mathbf{A} = (a_1 \dots a_N)^T, \quad \mathbf{x} = (x_{n-1} \dots x_{n-N})^T$$

$$\mathbf{P} = E\{x_n \mathbf{x}\} = (E\{x_n x_{n-1}\} \dots E\{x_n x_{n-N}\})^T$$

$$\mathbf{R} = E\{\mathbf{x} \mathbf{x}^T\} = \begin{pmatrix} E\{x_{n-1} x_{n-1}\} & \cdots & E\{x_{n-1} x_{n-N}\} \\ \vdots & \ddots & \vdots \\ E\{x_{n-N} x_{n-1}\} & \cdots & E\{x_{n-N} x_{n-N}\} \end{pmatrix}$$

Prediction error variance for an optimal predictor

$$\sigma_d^2 = \sigma_x^2 - \mathbf{P} \cdot \mathbf{A} = \sigma_x^2 - \mathbf{P}^T \mathbf{A}$$

Transform Coding

$$\theta = \mathbf{A} \mathbf{x}$$

where

$$\mathbf{x} = (x_0 \dots x_{n-1})^T, \quad \theta = (\theta_0 \dots \theta_{n-1})^T$$

$$\mathbf{R}_X = E\{\mathbf{x} \mathbf{x}^T\}, \quad \mathbf{R}_\theta = E\{\theta \theta^T\} = \mathbf{A} \mathbf{R}_X \mathbf{A}^T$$

The Karhunen-Loève Transform (KLT)

The rows of \mathbf{A} , ie the transform basis functions, are the normalized eigenvectors of the correlation matrix \mathbf{R}_X . The transform components will be uncorrelated, ie \mathbf{R}_θ will be a *diagonal* matrix.

The Discrete Walsh-Hadamard Transform (DWHT)

$$\mathbf{H}_2 = \frac{1}{\sqrt{2}} \begin{pmatrix} 1 & 1 \\ 1 & -1 \end{pmatrix}$$

$$\mathbf{H}_{2n} = \frac{1}{\sqrt{2}} \begin{pmatrix} \mathbf{H}_n & \mathbf{H}_n \\ \mathbf{H}_n & -\mathbf{H}_n \end{pmatrix}$$

Usually the basis vectors are sorted in frequency order.

The Discrete Cosine Transform (DCT)

$$\mathbf{C}_n = \sqrt{\frac{2}{n}} \begin{pmatrix} \frac{1}{\sqrt{2}} & \frac{1}{\sqrt{2}} & \cdots & \frac{1}{\sqrt{2}} \\ \cos \frac{\pi}{2n} & \cos \frac{3\pi}{2n} & \cdots & \cos \frac{(2n-1)\pi}{2n} \\ \cos \frac{2\pi}{2n} & \cos \frac{6\pi}{2n} & \cdots & \cos \frac{2(2n-1)\pi}{2n} \\ \vdots & \vdots & \ddots & \vdots \\ \cos \frac{(n-1)\pi}{2n} & \cos \frac{(n-1)3\pi}{2n} & \cdots & \cos \frac{(n-1)(2n-1)\pi}{2n} \end{pmatrix}$$

or equivalently

$$\theta_i = \sqrt{\frac{2}{n}} S_i \sum_{j=0}^{n-1} x_j \cos \frac{(2j+1)i\pi}{2n}; \quad i = 0, \dots, n-1$$

$$S_i = \begin{cases} \frac{1}{\sqrt{2}} & ; \quad i = 0 \\ 1 & ; \quad \text{otherwise} \end{cases}$$

Quantization of Transform Components

Optimal bit allocation when using *fine quantization*. Assume that the variance of transform component i is σ_i^2 .

$$R_i = R + \frac{1}{2} \log \frac{\sigma_i^2}{\sigma_G^2}$$

where

$$R = \frac{1}{n} \sum_{i=0}^{n-1} R_i$$

and

$$\sigma_G^2 = \left(\prod_{i=0}^{n-1} \sigma_i^2 \right)^{1/n}$$

gives

$$D \approx c \cdot \sigma_G^2 \cdot 2^{-2R}$$

For the KLT the following holds

$$\sigma_G^2 = (\det \mathbf{R}_\theta)^{\frac{1}{n}} = (\det \mathbf{R}_X)^{\frac{1}{n}}$$